

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



BULGE ACORN

Make	Thread Size	Bulk#
Ford	12mm 1.50	WN-303-B
Box Qty.	50/500	



**BULGE ACORN
CHROME & BLACK**

Make	Thread Size	Bulk#
Ford/Lincoln	14mm 1.50	WN-007-B
Add BK = Black		
Box Qty.	40/400	




**STAINLESS STEEL CAPPED
BULGE ACORN**

Make	Thread Size	Bulk#
Cadillac/Buick	12mm 1.50	WN-263-B
Box Qty.	50/500	




**STAINLESS STEEL CAPPED
DUPLEX BULGE ACORN**

Make	Thread Size	Bulk#
Chevrolet/GMC/Buick	14mm 1.50	WN-236-B
Box Qty.	30/300	



BULGE ACORN

Make	Thread Size	Bulk#
Hyundai/Kia	12mm 1.50	WN-315-B
Box Qty.	40/400	



BULGE ACORN

Make	Thread Size	Bulk#
Ford	14mm 1.50	WN-008-B
Box Qty.	30/300	



BULGE ACORN

Make	Thread Size	Bulk#
Ford	14mm 2.0	WN-288-B
Box Qty.	25/250	



SHORT SHANK MAG

Make	Thread Size	Bulk#
Chevrolet	7/16	5322
GM OEM / Corvette	12mm 1.50	5327
Box Qty.	50/500	



ET BULGE

Make	Thread Size	Bulk#
Dodge/Chevrolet/Buick	14mm 1.50	WN-259-B
Box Qty.	25/250	



**TOYOTA LONG MAG DOME TOP
W/ ATTACHED WASHER**

Make	Thread Size	Bulk#
Toyota	12mm 1.50	5307D
Box Qty.	30/300	



**DUPLEX MAG W/ ATTACHED
WASHER, CHROME & BLACK**

Make	Thread Size	Bulk#
Range Rover	14mm 1.50	5309RR
Add BK = Black		
Box Qty.	25/250	



**MEDIUM MAG
W/ ATTACHED WASHER**

Make	Thread Size	Bulk#
	7/16	5302
	1/2	5304
Nissan	12mm 1.25	5306
Toyota	12mm 1.50	5307
	12mm 1.75	5312
Box Qty.	30/300	



**MEDIUM MAG W/
ATTACHED WASHER, BLACK**

Make	Thread Size	Bulk#
Nissan	12mm 1.25	5306BK
Toyota	12mm 1.50	5307BK
Box Qty.	30/300	



**BLACK MEDIUM MAG
W/ ATTACHED WASHER**

Make	Thread Size	Bulk#
Toyota	12mm 1.50	5307DL
Lexus	14mm 1.50	5309DL
Add BK = Black		
Box Qty.	25/250	



**LONG MAG
W/ ATTACHED WASHER**

Make	Thread Size	Bulk#
Toyota	12mm 1.50	5307L
Box Qty.	30/300	

NINGBO FLOURISH AUTOPARTS CO.,LTD


Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



MAG W/ ATTACHED WASHER

Make	Thread Size	Bulk#
Kia	12mm 1.25	WN-210-B
	Box Qty.	40/400



RADIUS SEAT W/WASHER

Make	Thread Size	Bulk#
Honda/Acura	12mm 1.50 (radius: 12mm)	1907WR
	Box Qty.	40/400



RADIUS SEAT W/ WASHER, BLACK

Make	Thread Size	Bulk#
Honda/Acura	12mm 1.50 (radius: 12mm)	1907WRBK
	Box Qty.	40/400




DUPLEX RADIUS SEAT W/ ATTACHED WASHER

Make	Thread Size	Bulk#
Honda/Acura	14mm 1.50	WN-314-B
	Box Qty.	40/400



OPEN-END ACORN

Thread Size	Bulk#
3/8	1301
1/2	1304
12mm 1.25	1306
12mm 1.50	1307
Box Qty.	100/1000



OPEN-END ACORN

Make	Thread Size	Bulk#
GMC/Chevrolet Van and Truck	9/16	WN-53-B
	Box Qty.	25/250



OPEN-END ACORN

Make	Thread Size	Bulk#
Ford Van	9/16	WN-52-B
	Box Qty.	50/500



OPEN END RADIUS SEAT

Make	Thread Size	Bulk#
Honda/Acura	12mm 1.50	WN-144-B
	Box Qty.	50/500



OPEN-END BULGE

Thread Size	Bulk#
7/16	1302-1S
12mm 1.25	1306-1S
12mm 1.50	1307-1S
14mm 1.50	1309-1S
12mm 1.75	1312-1S
Box Qty.	50/500




OPEN-END BULGE ACORN

Make	Thread Size	Bulk#
Ford/Mercury/Lincoln	1/2	WN-163-B
	Box Qty.	50/500



OPEN-END BULGE ACORN

Make	Thread Size	Bulk#
Ford	14mm 2.0	WN-223-B
	Box Qty.	30/300



OPEN-END BULGE ACORN

Make	Thread Size	Bulk#
Ford/Mercury	1/2	WN-199-B
	Box Qty.	40/400

TIRE REPAIR TOOLS

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS

TIRE REPAIR TOOLS



RADIUS SEAT SHORT

Make	Thread Size	Bulk#
Honda/Acura	12mm 1.50 (radius: 12mm)	1907SR
	Box Qty.	50/500



BULGE ACORN SHORT

Make	Thread Size	Bulk#
Lexus	14mm 1.50	1709DT
	Box Qty.	40/400



BULGE

Make	Thread Size	Bulk#
Dodge/Chrysler/Jeep	12mm 1.50 WN-074-B	
	Box Qty.	50/500



BULGE ACORN STAINLESS STEEL CAPPED

Make	Thread Size	Bulk#
	7/16	1902ST
Jeep	1/2	1904ST
	12mm 1.25	1906ST
	12mm 1.50	1907ST
Jeep	14mm 1.50	1909ST
	12mm 1.75	1912ST
	Box Qty.	50/500




RADIUS SEAT CHROME & BLACK

Make	Thread Size	Bulk#
Honda/Acura	12mm 1.50 (radius: 12mm)	1907HR
	Add BK = Black	
	Box Qty.	40/400



DUPLEX RADIUS SEAT CHROME & BLACK

Make	Thread Size	Bulk#
Honda/Acura	14mm 1.50	1909DR
	Add BK = Black	
	Box Qty.	20/200



XL BULGE ACORN

Thread Size	Bulk#
7/16	1902XL
12mm 1.25	1906XL
12mm 1.50	1907XL
14mm 1.50	1909XL
12mm 1.75	1912XL
14mm 2.00	1950XL
Box Qty.	30/300



XXL BULGE ACORN

Thread Size	Bulk#
14mm 1.50	1709SXL
12mm 1.75	1712SXL
14mm 2.00	1750SXL
Box Qty.	30/300



BULGE ACORN

Make	Thread Size	Bulk#
Ford	1/2	WN-71-B
	Box Qty.	40/400



BULGE ACORN

Make	Thread Size	Bulk#
Ford	1/2	WN-94-B
	Box Qty.	40/400




2-PC BULGE ACORN 3/4\"/>

Thread Size	Bulk#
10mm 1.50	1711S
12mm 1.25	1706S
12mm 1.50	1707S
14mm 1.50	1709S
14mm 2.00	1750S
Box Qty.	50/500



2-PC BULGE ACORN

Thread Size	Bulk#
7/16	1702
12mm 1.25	1706
12mm 1.50	1707
14mm 1.50	1709
12mm 1.75	1712
Box Qty.	50/500



2-PC RED/BLUE BULGE ACORN

Thread Size	Bulk#
1/2	1704
12mm 1.25	1706
12mm 1.50	1707
14mm 1.50	1709
(Add " S" for 3/4" Hex)	
(Add R=Red; BL=Blue)	
Box Qty.	50/500

NINGBO FLOURISH AUTOPARTS CO.,LTD


Add: Changluo Road 181, Luotuo Street, Zhenhai District, Ningbo, Zhejiang, China

TIRE VALVE - WHEEL NUTS



**RADIUS SEAT
CHROME & BLACK**

Make	Thread Size	Bulk#
Honda/Acura	12mm 1.50	WN-201-B
Add BK = Black		
	Box Qty.	25/250



**2-PC RADIUS SEAT
3/4\"/>**

Make	Thread Size	Bulk#
Honda/Acura	14mm 1.50	1909R
	14mm 1.25	1925R
	(radius: 14mm)	
	Box Qty.	50/500



**DUPLEX BULGE
ACORN**

Make	Thread Size	Bulk#
Dodge/Chevrolet/Buick/Ram/Jeep	14mm 1.50	1709D
Dodge	9/16	1710D
Ford	14mm 2.00	1750D
	Box Qty.	25/250



**RED ALUMINUM
RACING BULGE ACORN**

Thread Size	Bulk#
1/2"	AL1904SRD
12mm 1.25	AL1906SRD
12mm 1.50	AL1907SRD
Box Qty.	20/500




DOME TOP ACORN

Make	Thread Size	Bulk#
Subaru	12mm 1.25	WN-076-B
	Box Qty.	50/500



DOME TOP ACORN

Make	Thread Size	Bulk#
Nissan	12mm 1.25	WN-114-B
Toyota	12mm 1.50	WN-133-B
	Box Qty.	50/500




SHORT DUALIE ACORN

Thread Size	Bulk#
14mm 1.50	3109A
9/16	3110A
Box Qty.	20/200



DUALIE ACORN

Thread Size	Bulk#
14mm 1.50	3109
9/16	3110
5/8	3130
Box Qty.	20/200



ACORN

Make	Thread Size	Bulk#
Hyundai/Kia/Mazda	12mm 1.50	WN-141-B
	Box Qty.	50/500



ACORN

Make	Thread Size	Bulk#
Kia	12mm 1.50	WN-253-B
	Box Qty.	50/500



2-PC ACORN

Thread Size	Bulk#
1/2 L.H.	1205
12mm 1.25	1206
12mm 1.50	1207
14mm 1.50	1209
12mm 1.75	1212
Box Qty.	50/500



BLACK ACORN

Thread Size	Bulk#
12mm 1.25	1206BK
12mm 1.50	1207BK
14mm 1.50	1209BK
12mm 1.75	1212BK
Box Qty.	50/500



1-PC ACORN

Thread Size	Bulk#
3/8	1001
12mm 1.25	1006
12mm 1.50	1007
14mm 1.50	1009
12mm 1.75	1012
Box Qty.	50/500



1-PC ACORN LONG

Thread Size	Bulk#
7/16	1002L
1/2	1004L
12mm 1.25	1006L
12mm 1.50	1007L
14mm 1.50	1009L
Box Qty.	30/300



XL ACORN

Thread Size	Bulk#
14mm 1.50	1009XL
14mm 2.00	1050XL
Box Qty.	30/300

TIRE REPAIR TOOLS

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181, Luotuo Street, Zhenhai District, Ningbo, Zhejiang, China

TIRE VALVE - WHEEL NUTS



1-PC STANDARD MAG	
Thread Size	Bulk#
7/16	1740
12mm 1.25	1744
12mm 1.50	1745
14mm 1.50	1749*
Box Qty.	50/500




DUPLEX ACORN	
Thread Size	Bulk#
14mm 1.50	3009
9/16	3010
9/16 L.H.	3020
14mm 2.00	3050
Box Qty.	30/300



BLACK DUPLEX ACORN	
Thread Size	Bulk#
14mm 1.50	3009BK
9/16	3010BK
14mm 2.00	3050BK
Box Qty.	30/300




OPEN-END STANDARD MAG	
Thread Size	Bulk#
12mm 1.25	1734
12mm 1.50	1735
14mm 1.50	1739*
Box Qty.	50/500




SPLINE ACORN	
Thread Size	Bulk#
12mm 1.25	3806
12mm 1.50	3807
12mm 1.75	3812
Key Adapter	3800
Key Adapter	3800S
Box Qty.	50/500



GLOSS BLACK SPLINE ACORN	
Thread Size	Bulk#
12mm 1.25	3806BK
12mm 1.50	3807BK
12mm 1.75	3812BK
Key Adapter	3800
Key Adapter	3800S
Box Qty.	50/500



GOLD SPLINE ACORN	
Thread Size	Bulk#
1/2	3804GDT
12mm 1.50	3807GDT
Key Adapter	3800
Key Adapter	3800S
Box Qty.	40/400




DUPLEX SHORT SPLIN	
Thread Size	Bulk#
14mm 1.50	3809D
9/16	3810D
14mm 2.00	3850D
Box Qty.	50/500



BLACK DUPLEX SHORT SPLINE	
Thread Size	Bulk#
14mm 1.50	3809DBK
9/16	3810DBK
14mm 2.00	3850DBK
Box Qty.	50/500



DUPLEX SPLINE ACORN LONG	
Thread Size	Bulk#
12mm 1.50	3807L
14mm 2.00	3850L
Key Adapter	3800HD
Key Adapter	3800L
Box Qty.	30/300



OPEN-END SPLINE	
Thread Size	Bulk#
7/16	3802-1
1/2	3804-1
12mm 1.25	3806-1
12mm 1.50	3807-1
Key Adapter	3800
Key Adapter	3800S
Box Qty.	50/500



BLUE ALUMINUM RACING OPEN-END	
Thread Size	Bulk#
12mm 1.25	AL1906-1SBL
Box Qty.	20/500


TIRE REPAIR TOOLS

NINGBO FLOURISH AUTOPARTS CO.,LTD


Add: Changluo Road 181, Luotuo Street, Zhenhai District, Ningbo, Zhejiang, China

TIRE VALVE - WHEEL NUTS


Thread: M12*1.25, M12*1.5, M14*1.5




WB001
17mm HEX
Ø23mm




WB002
19mm HEX
Ø23mm




WB003
17mm HEX
Ø21.5mm




WB004
17mm HEX
Ø23mm




WB005
19mm HEX



WB006
13/16" HEX




WB007
17mm HEX
Ø23mm




WB008
17mm HEX

TIRE REPAIR TOOLS


Thread: M12*1.25, M12*1.5, M14*1.5



WB009
17mm HEX
Ø21.5mm




WB010
17mm HEX
Ø22mm




WB011
17mm HEX
Ø22mm




WB012
19mm HEX
Ø21.5mm




WB013
17mm HEX



WB014
17mm HEX
Ø21.5mm



WB015
17mm HEX
Ø21.5mm



WB016

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



Item	Etrto No.	Rim Hole mm/inch	Eff.Length mm/inch	Fit for
TR412	V2.03.6	11.5/.453"	22/0.88"	motorcycle ,car
TR413	V2.03.1	11.5/.453"	32/1.25"	car
TR414	V2.03.2	11.5/.453"	38/1.50"	car
TR415	V2.03.3	15.8/.625"	32/1.25"	car
TR418	V2.03.4	11.5/.453"	51/2.00"	car
TR438	V2.03.5	8.8/.346"	32/1.25"	motorcycle ,car
TR423		11.5/.453"	64/2.5"	car
TR425		11.5/.453"	51/2.00"	car

TIRE REPAIR TOOLS



Item	Etrto No.	Rim Hole mm/inch	Eff.Length mm/inch	Fit for
TR412C	V2.03.6	11.5/.453"	22/0.88"	motorcycle ,car
TR413C	V2.03.1	11.5/.453"	32/1.25"	car
TR414C	V2.03.2	11.5/.453"	38/1.50"	car
TR415C	V2.03.3	15.8/.625"	32/1.25"	car
TR418C	V2.03.4	11.5/.453"	51/2.00"	car
TR412AC	V2.03.6	11.5/.453"	22/0.88"	motorcycle ,car
TR413AC	V2.03.1	11.5/.453"	32/1.25"	car
TR414AC	V2.03.2	11.5/.453"	38/1.50"	car

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



Item	Rim Hole mm	Eff.Length mm	Fit for
PVR70	11.5	30	Motorcycle
TPMS413	11.5	53.2	car
TR13	11.5	height 38/base 56	truck
TR15	16.5	height 38/base 56	truck
TR600HP	11.5	32	Light truck
TR602HP	11.5	51	Light truck
TR801HP	16	33	Light truck
TR802HP	16	51	Light truck

Item	Fit for	Item	Fit for
1	buick,cadillac,chevrolet malibu,mondeo,ford, raptor,volvo,jimc	11	new land rover,volvo,bmw
2	buick,BYD	12	dodge,chrysler,jaguar
3	buick,BYD	13	benz
4	Audi	14	nissan,bmw,mitsubishi
5	Haval,great wall motor	15	benz,bmw,audi,porsche
6	new products	16	benz,audi
7	Infiniti	17	universal
8	Jeep,benz	18	new products
9	chevrolet	19	lincoln,hummer
10	besturn,kia,hyundai	20	toyota,lexus
		21	hyundai,infiniti

TIRE REPAIR TOOLS



Item	Etrto No.	Rim Hole mm/inch	Ref.Length mm
V-3	TR33E	11.5/.453"	14*33
V-4	TR43E	11.5/.453"	14*43
V-5	TR48E	11.5/.453"	14*48
V-7	TR63E	11.5/.453"	14*63
VS-8		11.5/.453"	16*38
VS-8-45		11.5/.453"	16*53
VS-8-90		11.5/.453"	16*63
VAMD161		11.5/.453"	16*33
TR416		16/.625"	18.5*40
TR416B		11.5/.453"	17*38
TR416S		11.5/.453"	17*40
TR416SS		11.5/.453"	14*38

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



MS525S



MS525L



MS525AL

Item	Rim Hole mm/inch	Ref.Length mm
MS525S	11.5/.453"	17.5*41.5
MS525L	11.5/.453"	17.5*41.5
MS525AL	11.5/.453"	17.5*42

TIRE REPAIR TOOLS



TR575



TR501



TR500



TR570



TR570-27°



TR570C

Item	Etrto No.	Rim Hole mm/inch	Eff.Length mm/inch	Bend Degree
TR500	V3.21.3	15.9/.625"	55	/
TR501	V3.21.2	15.9/.625"	42	/
TR570	V3.21.4	15.9/.625"	84	/
TR571	V3.21.5	15.9/.625"	90	/
TR572	V3.21.6	15.9/.625"	100	/
TR573	V3.21.7	15.9/.625"	115	/
TR574	V3.21.8	15.9/.625"	131	/
TR575	V3.21.1	15.9/.625"	33	/
TR570-27°	V3.21.4	15.9/.625"	84	27°
TR571-27°	V3.21.5	15.9/.625"	90	27°
TR572-27°	V3.21.6	15.9/.625"	100	27°
TR573-27°	V3.21.7	15.9/.625"	115	27°
TR574-27°	V3.21.8	15.9/.625"	131	27°
TR570C	V3.21.4	15.9/.625"	84	90°
TR571C	V3.21.5	15.9/.625"	90	90°
TR572C	V3.21.6	15.9/.625"	100	90°
TR573C	V3.21.7	15.9/.625"	115	90°
TR574C	V3.21.8	15.9/.625"	131	90°

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



V3.20.1

V3.20.4

V3.22.1



70MS-7

Item	Rim Hole mm/inch	Eff.Length mm/inch	Bend Degree
V3.20.1	9.7	41	/
V3.20.2	9.7	95	17.5°
V3.20.3	9.7	87	/
V3.20.4	9.7	90	27°
V3.20.5	9.7	70	27°
V3.20.6	9.7	115	27°
V3.20.7	9.7	80	27°
V3.20.8	9.7	119	12°
V3.20.9	9.7	102	27°
V3.20.10	9.7	80	27°
V3.20.11	9.7	100	27°
V3.20.12	9.7	100	27°
V3.22.1	9.7	58	45°
70MS-7	9.7	69	7°

TIRE REPAIR TOOLS



TR542

TR543



TR544D

TR545D


Item	Rim Hole mm/inch	Eff.Length mm/inch	Bend Degree
TR542	9.7	37	/
TR543	9.7	64	/
TR543C	9.7	64	45°
TR543D	9.7	64	60°
TR544	9.7	78	/
TR544D	9.7	78	60°
TR545	9.7	94	/
TR545D	9.7	94	60°
TR546	9.7	113	/
TR546D	9.7	113	36°
TR547D	9.7	124	60°

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China



V3.12 Series



V3.14 Series

Item	Eff.Length mm/inch	Core	Grommet	Nut	Cap	Item	Eff.Length mm/inch			Core	Grommet	Nut	Cap
							B	A	C				
V3.12.1	26*21.5*40	9002	9.11.4	V9.13.1	FT	V3.14.1	26	21.5	24.5	9002	9.11.4	V9.13.1	FT
V3.12.2	26*21.5*95	9002	9.11.4	V9.13.1	FT	V3.14.2	45	21.5	24.5	9002	9.11.4	V9.13.1	FT
						V3.14.3	37	21.5	24.5	9002	9.11.4	V9.13.1	FT



TR218A



TR220A



TR618A

Item	Ref.Length (mm)	A (mm)	Core Housing	Lock Nut
TR218A	/	62.68	TRCH3	LN10 or LN10EQ
TR220A	/	81.4	TRCH3	LN10 or LN10EQ
TR618A	22.5*48	/	TRCH3	HN1

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



Item Number	Eff.Length mm	Bend Degree	Core
TR621A	Φ22.5*93*113	65°	9002
TR622A	Φ22.5*137*158	90°	9002
TR623A	Φ22.5*74*95	65°	9002
TRJ650-03	27+80mm	100°	7002
TRJ651-03	32+119mm	90°	7002
TRJ652-03	27+140mm	94°	7002
TRJ653-03	27+63.5mm	100°	7002
TRJ654-03	27+79.5mm	120°	7002
TRJ655-03	27+79.5mm	106°	7002
TRJ656-03	66.5+94mm	90°	7002
TRJ657-03	27+101.6mm	100°	7002
TRJ658-03	27+140mm	100°	7002
TRJ659-03	48+90mm	90°	7002
TRJ660-03	48+223mm	90°	7002
TRJ669-03	27+63.5mm	90°	7002
TRJ670-03	41mm	/	7002

TIRE REPAIR TOOLS



Item	Rim Hole mm	Eff.Length mm	Total Length mm	Core
TR43E	11.5	43		9002
TR48E	11.5	48		9002
TPMS-525	11.5	30	42	9002
TR525AL	11.5	38	41.5	9002
RAYS	11.5	35	38	9002
TV25-S	8.3	Φ15*25		9002
TV25-B	11.3	Φ15*25		9002

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



TIRE REPAIR TOOLS



MEX



PEX

Item	Eff.Length mm	Total.Length mm
MEX01	13	22
MEX02	19	28
MEX03	32	41
PEX01	13	22
PEX02	19	28
PEX03	32	41
PEX04	38	46



EXP

Item	Eff.Length mm	Total.Length mm
EXP1	33.5	51
EXP2	53.5	71
EXP3	77.5	95
EXP4	97.5	115
EXP5	107.5	125
EXP6	132.5	150
EXP7	152.5	170
EXP8	162.5	180
EXP9	182	200



BMEX-45°

BMEX-90°

BMEX-135°



EXM

Item	Eff.Length mm	Total.Length mm
EXM1	30	40
EXM2	50	60
EXM3	66	76
EXM4	76	86
EXM5	90	100
EXM6	100	110
EXM7	115	125
EXM8	130	140
EXM9	140	150
EXM10	152	162

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS



rubber ,Ø10mm



stainless steel,Ø10mm

Item	Total.Length mm	Item	Total.Length mm
EXR1	75	EXR9	270
EXR2	105	EXR10	300
EXR3	125	EXR11	335
EXR4	140	EXR12	370
EXR5	160	EXR13	430
EXR6	180	EXR14	475
EXR7	210	EXR15	500
EXR8	250	EXR16	695

Item	Total.Length mm	Item	Total.Length mm
EXST1	75	EXST9	270
EXST2	105	EXST10	300
EXST3	125	EXST11	335
EXST4	140	EXST12	370
EXST5	160	EXST13	430
EXST6	180	EXST14	475
EXST7	210	EXST15	500
EXST8	250	EXST16	695

TIRE REPAIR TOOLS



VT-1



VT-2



VT-3



VS-1



CT-1



CT-2



CT-3



CT-4



VIT-1



VIT-2



VIT-3



VIT-4

Item	Description
VT-1	tyre valve spanner ,silver color
VT-2	tyre valve spanner ,black color
VT-3	tyre valve spanner ,black color
VS-1	roller diameter 3mm
VS-2	roller diameter 5mm
VS-3	roller diameter 6mm or 12mm etc.
CT-1	70mm handle ,100mm silver needle
CT-2	70mm handle ,25mm silver needle
CT-3	73mm handle ,25mm+28mm silver needle
CT-4	core remover
VIT-1	valve installation tool
VIT-2	valve installation tool
VIT-3	valve installation tool
VIT-4	valve installation tool

NINGBO FLOURISH AUTOPARTS CO.,LTD

Add: Changluo Road 181,Luotuo Street,Zhenhai District,Ningbo,Zhe jiang,China

TIRE VALVE - WHEEL NUTS





Item	Description
TRP-01	needle length 75mm
TRP-02	diameter 4mm +length 75mm
TRP-03	diameter 4mm +length 75mm
TRP-04	needle length 85mm
TRP-05	needle length 75mm
TRP-06	diameter 4mm+ needle 100mm(only 75mm visible)
TRP-07	needle length 85mm
TRP-08	diameter 4mm+ needle 100mm(only 75mm visible)
AC-01	open type ,end diameter 6mm or 8mm ,normal length
AC-02	open type ,end diameter 6mm or 8mm ,longer length
AC-03	open , 1/4" NPT
AC-04	ball foot chuck

TIRE REPAIR TOOLS



Item	Description
TRPK-01	tyre repair tool kit
TRPK-02	tyre repair tool kit
TRPK-03	tyre repair tool kit
TRPK-04	tyre repair tool kit
IG01	dual foot chuck,closed
IG02	straight-on tilt lock chuck,closed
IG03	straight-on tilt lock chuck,closed
IG04	dual foot air chuck,open
IG05	dual foot air chuck,open
IG06	dual foot air chuck,open
PG01	steel ruler ,pressue 10~150PSI,Length 30CM
PG02	steel ruler ,pressue 10~150PSI,Length 30CM
PG03	plastic ruler , pressure 75~120PSI,Length 16CM
PG04	plastic ruler , pressure 75~120PSI,Length 16CM
PG05	plastic ruler , pressure 10~50PSI,Length 14.5CM
PG06	plastic ruler , pressure 10~50PSI,Length 14.5CM
DG01	tyre deepth gauge, 0~25mm
DG02	tyre deepth gauge, 0~50mm



Item	Size(mm) Length*Diameter	Inner Packing pcs/box	Description
TSS01	100*3.5	120	Black string
TSS02	100*3.5	120	Blown string
TSS03	100*4.5	60	Black string
TSS04	100*4.5	60	Blown string
TSS05	100*6	60	Black string
TSS06	100*6	60	Blown string
TSS07	200*3.5	60	Black string
TSS08	200*3.5	60	Blown string
TSS09	200*4.5	30	Black string
TSS10	200*4.5	30	Blown string
TSS11	200*6	30	Black string
TSS12	200*6	30	Blown string

Tyre Seal String :

- ★ Universal string inserts can easily and fast repair small injuries.
- ★ Temporary repairs by compression only.
- ★ Flow-Seal inserts are ideal for use in both Bias Tyre and Radial Tyre.



round angle ,(5+10)g*4 , Zinc plated



round angle ,(5+10)g*4 , Epoxy coated



round angle ,(5+10)g*4 , Black Treatment

Steel Material ,Adhesive Balance Weight :

- ★ Steel ,Lead-free to comply with European standard
- ★ Perfect finish to resist rust
- ★ Adhesive tape can bear temperature range : -20℃ ~ 120℃

Item	Weight (g)	Description	pcs/box	Packing box/ctn	Surface Treatment
SABW01	60g	(5g+10g)*4 segments Height * Width =3.8mm*19mm	100	4	Zinc plated
SABW02	60g	(5g+10g)*4 segments Height * Width =3.8mm*19mm	100	4	Epoxy coated
SABW03	60g	(5g+10g)*4 segments Height * Width =3.8mm*19mm	100	4	Black Treatment



round angle , 5g*12 , Zinc plated



round angle , 5g*12 , Epoxy coated



round angle , 5g*12 , Black Treatment

Steel Material ,Adhesive Balance Weight :

- ★ Steel ,Lead-free to comply with European standard
- ★ Perfect finish to resist rust
- ★ Adhesive tape can bear temperature range : -20℃ ~ 120℃

Item	Weight (g)	Description	pcs/box	Packing box/ctn	Surface Treatment
SABW04	60g	5g*12 segments Height * Width =3.8mm*19mm	100	4	Zinc plated
SABW05	60g	5g*12 segments Height * Width =3.8mm*19mm	100	4	Epoxy coated
SABW06	60g	5g*12 segments Height * Width =3.8mm*19mm	100	4	Black Treatment



Steel Material ,Adhesive Balance Weight :

- ★ Steel ,Lead-free to comply with European standard
- ★ Perfect finish to resist rust
- ★ Adhesive tape can bear temperature range : -20℃ ~ 120℃

Item	Weight (g)	roll/box	Packing box/ctn	Description
SABW13	215oz 6020g	1	4	1/4 oz *860 segments Height * Width =3.8mm*19mm
SABW14	6000g	1	4	5g*1200 segments Height * Width =3.8mm*19mm



Steel Material ,Adhesive Balance Weight :

- ★ Steel ,Lead-free to comply with European standard
- ★ Perfect finish to resist rust
- ★ Adhesive tape can bear temperature range : -20°C ~ 120°C

Item	Weight (g)	Description	pcs/box	Packing box/ctn	Surface Treatment
SABW15	84g	1/4 oz*12 segments Height * Width =4.8mm*19mm	50	4	Zinc plated
SABW16	84g	1/4 oz*12 segments Height * Width =4.8mm*19mm	50	4	Epoxy coated



Steel Material ,Adhesive Balance Weight :

- ★ Steel ,Lead-free to comply with European standard
- ★ Perfect finish to resist rust
- ★ Adhesive tape can bear temperature range : -20°C ~ 120°C

Item	Weight (g)	Description	pcs/box	Packing box/ctn	Surface Treatment
SABW17	84g	1/2oz*6 segments Height * Width =3.8mm*19mm	50	4	Zinc plated
SABW18	84g	1/2oz*6 segments Height * Width =3.8mm*19mm	50	4	Epoxy coated
SABW19	168g	1oz*6 segments Height * Width =6.5mm*19mm	30	6	Zinc plated
SABW20	168g	1oz*6 segments Height * Width =6.5mm*19mm	30	6	Epoxy coated